



**RECOR**

ΕΛΛΗΝΙΚΗ ΒΙΟΜΗΧΑΝΙΑ ΣΥΣΣΩΡΕΥΤΩΝ

PRODUCT  
CATALOGUE



our company

**S&S Ltd is a fast growing Greek company that produces, distributes and exports lead acid batteries for a wide range of applications under the brand name RECOR BATTERIES.**

Following every technological development in the constantly changing international market place, combining it with the almost 50 years old experience in the production and distribution of batteries, the company continuously researches and develops new technologies, in order to produce the best quality product and offer the best possible service to the benefit of its customers.

The wide range of our products includes maintenance free (MF) batteries for all vehicles, European and Japanese, light and heavy trucks, farming equipment and marine applications, as well as hermetically SEALED starter batteries for cars and trucks.

**No matter what the battery requirement of your vehicle is, there is certainly a RECOR battery that meets it, achieving, for a very long period, strong and certain startup of your engine.**

**strong and certain startup of your engine**

Long life performance





## BASIC maintenance free

maintenance free > calcium-calcium technology > antifiame arrestor

type	box	AH (20h)	A (EN)	(+/-)	dimensions mm			pole type	pcs per pallet	base holdown
					Length	Width	Height			
L0-40	L00	40	340	0	175	175	190	1	96	B13
L1-44	L01	44	400	0	207	175	190	1	96	B13
L2-55	L02	55	480	0	242	175	190	1	84	B13
L3-70	L03	70	640	0	278	175	190	1	64	B13
L5-90	L05	90	720	0	353	175	190	1	48	B13



## BASIC (JIS) maintenance free

maintenance free > calcium-calcium technology > antifiame arrestor

type	box	AH (20h)	A (EN)	(+/-)	dimensions mm			pole type	pcs per pallet	base holdown
					Length	Width	Height			
RJ40EN	B19L	40	300	0	187	127	227	3	72	B01
RJ40	B19L	40	300	0	187	127	227	3	72	B00
RJ40S	B19LR	40	300	1	187	127	227	3	72	B00
RJ45	B24LS	45	330	0	238	129	227	3	72	B00
RJ45S	B24RS	45	330	1	238	129	227	3	72	B00
RJ60	D23L	60	510	0	232	173	225	1	54	B00
RJ60S	D23R	60	510	1	232	173	225	1	54	B00
RJ70	D26L	70	550	0	261	175	220	1	48	B01
RJ70S	D26R	70	550	1	261	175	220	1	48	B01
RJ95	D31L	95	740	0	306	173	225	1	39	B01
RJ95S	D31R	95	740	1	306	173	225	1	39	B01



## HEAVY DUTY wet charged

maintenance free > hybrid Ca/Sb

type	box	AH (20h)	A (EN)	(+/-)	dimensions mm			pole type	pcs per pallet	base holdown
					Length	Width	Height			
COMP B	COMPACT 90	110	700	0	347	173	234	1	36	B01
COMP A	COMPACT 120	125	750	0	349	173	290	1	36	B00
MAC 120	MAC 110	120	720	3	510	175	225	1	32	B01
HD A120	A	120	720	3	513	189	218	1	32	B00
MAC 130	MAC 143/D	130	760	3	514	218	210	1	28	B00
HD A140	A	140	800	3	513	189	218	1	32	B00
HD B155	B	155	900	3	513	223	223	1	28	B00
HD B180	B	180	1000	3	513	223	223	1	28	B00
HD C200	C	200	1050	3	518	276	242	1	24	B00
HD C220	C	220	1150	3	518	276	242	1	24	B00





## HI PERFORMANCE maintenance free

high performance > maintenance free > calcium-calcium technology > charge indicator > pole covers > antflame arrestor

type	box	AH (20h)	A (EN)	(+/-)	dimensions mm			pole type	pcs per pallet	base holdown
					Length	Width	Height			
LB1-50	LB1	50	440	0	207	175	175	1	96	B13
L1-50	L01	50	440	0	207	175	190	1	96	B13
LB2-60	LB2	60	510	0	242	175	175	1	84	B13
L2-62	L02	62	540	0	242	175	190	1	84	B13
L2S-62	L02	62	540	1	242	175	190	1	84	B13
LB3-75	LB3	75	680	0	278	175	175	1	64	B13
L3-75	L03	75	680	0	278	175	190	1	64	B13
L5-100	L05	100	840	0	353	175	190	1	48	B13



## SUPER HEAVY DUTY wet charged

high performance > maintenance free > hybrid Ca/Sb

type	box	AH (20h)	A (EN)	(+/-)	dimensions mm			pole type	pcs per pallet	base holdown
					Length	Width	Height			
SHD A140	A	140	900	3	513	189	218	1	32	B00
SHD B180	B	180	1050	3	513	223	223	1	28	B00
SHD C230	C	230	1300	3	513	276	242	1	24	B00



## GLASS MAT wet charged

high performance > maintenance free > hybrid Ca/Sb > glassmat separator

type	box	AH (20h)	A (EN)	(+/-)	dimensions mm			pole type	pcs per pallet	base holdown
					Length	Width	Height			
SHD A140GM	A	140	900	3	513	189	218	1	32	B00
SHD B180GM	B	180	1050	3	513	223	223	1	28	B00
SHD C230GM	C	230	1300	3	513	276	242	1	24	B00





## ECO-GOLD sealed MF

sealed maintenance free > high performance > calcium-calcium technology > charge indicator > pole covers > antilame arrestor

type	box	AH (20h)	A (EN)	(+/-)	dimensions mm			pole type	pcs per pallet	base holdown
					Length	Width	Height			
L1-44	L01	44	400	0	207	175	190	1	96	B13
LB1-50	LB1	50	440	0	207	175	175	1	96	B13
L1-50	L01	50	440	0	207	175	190	1	96	B13
L2-55	L02	55	480	0	242	175	190	1	84	B13
LB2-60	LB2	60	510	0	242	175	175	1	84	B13
L2-62	L02	62	540	0	242	175	190	1	84	B13
L2S-62	L02	62	540	1	242	175	190	1	84	B13
L3-70	L03	70	640	0	278	175	190	1	64	B13
LB3-75	LB3	75	680	0	278	175	175	1	64	B13
L3-75	L03	75	680	0	278	175	190	1	64	B13
L5-90	L05	90	720	0	353	175	190	1	48	B13
L5-100	L05	100	840	0	353	175	190	1	48	B13



## ECO-GOLD sealed MF

sealed maintenance free > high performance > calcium-calcium technology


type	box	AH (20h)	A (EN)	(+/-)	dimensions mm			είδος πόλων	pcs per pallet	base holdown
					Length	Width	Height			
HD A120	A	120	720	3	513	189	218	1	32	B00
HD A140	A	140	900	3	513	189	218	1	32	B00
HD B155	B	155	900	3	513	223	223	1	28	B00
HD B180	B	180	1050	3	513	223	223	1	28	B00
HD C200	C	200	1050	3	518	276	242	1	24	B00
HD C230	C	230	1300	3	518	276	242	1	24	B00






# technical characteristics


## > polarity 12V



## > base holddown



## > pole type



WARNING



INDICATOR



Thank you



**S & S Ltd. - Recor Batteries**

20, 28th October str, P.C.18233, Ag. Ioannis Rentis, Athens, Greece

T: +30 2104915225 | F: +30 2104922198 | [info@recorbatteries.gr](mailto:info@recorbatteries.gr)

[www.recorbatteries.gr](http://www.recorbatteries.gr)